

# Storm-Tite®

## Fix and Forget

A revolutionary hurricane roofing screw  
for high wind areas **One screw fits all profiles**



**High winds or hurricane type winds are not confined to the coastal strips – these can occur anywhere in the USA or the World.**

Hurricane behavior in America is quite unique compared to other parts of the world. A hurricane can quickly change direction or even back-track or loop. Therefore we must always be prepared for a change in weather patterns.

**Is your home or building prepared?**

- For high wind areas throughout the world
- Superior seal, visual proof of seal (less call backs for installers)
- Ideal for re-roof applications
- Galvanized with C4 alloy: the best corrosion protection available



**PATENT PENDING**  
**ACTION**  
**FASTENERS**  
BY US

PATENT PENDING

# Storm-Tite® At Last!

## The advantages over traditional fastening systems

- One Screw fits all profiles
- Better roof appearance
- Visual proof of seal, unique domed washer flattens upon contact with roof and molds to form leak proof seal
- Unique registered Flat-Head design for increased corrosion protection
- Ideal for re-roof applications / upgrading / hurricane resistance
- Tested and passed by James Cook University Australia
- Galvanized with C4 alloy – the best corrosion protection available today
- Less money tied up in stock that you cannot find an application for
- Easier &Faster! No need to align a separate washer, Roofer holds more screws during installation



## Disadvantages of traditional fasteners

- A different shaped fastener is required for each roofing profile
- Debris could lodge under the plate and predispose the fastener to corrosion
- Time is wasted lining up the washer whilst drilling and holding the fastener straight
- The shape and height of the traditional hurricane assembly doesn't add to the aesthetics of the roof
- Numerous call backs because of leaks!
- If the screw is installed off-centre the potential for leakage is high



Storm-Tite® means better aesthetic roof appearance

**Deks Sealing Washer guaranteed for 20 years**

## Fix and Forget


Available in all popular colors, ask your nearest distributor

Available in Class 4 14g in the following sizes: Timber = 2", 2 1/4", 3", 4", 5", 6", 8"  
Steel = 1", 2", 2 3/4", 3 1/4", 4", 5", 6", 7"

No shank protection system needed

Bluescope Steel Australia Approval of EPDM domed sealing washer. 20 year warranty on seals.

One piece metal assembly with 1" diameter metal flange for maximum holding power



And now for your insulated sheeting!

# Storm-Tite® Long

- Coated to AS.3566-Class 4
- Up to 8" long
- Available in popular colors



# Batten-Tite®

## Dual Point

Australian coated and designed

Leaves T-17's for dead on battens!

- Finally a screw designed purely for Batten fixing
- One point penetrates both batten and timber or steel purlin up to 5/64"
- Pull out test passed & exceeded standard, all testing done by James Cook University Australia
- Coated with Hollymetal® Class 3 – highly suitable for under the roof holding down your Battens (cost effective)

Available in one size – Dual Point 12g x 1 3/4"  
Other sizes by request

# Roof-Tite™

## Dual Point

FLAT HEAD REGISTERED DESIGN

- 12 x 2" Roofing Screw with a Dual Point for both timber and steel up to 5/64"
- Extra advantages in high corrosion areas with AS3566-Class 4 coating
- Flat head eliminates debris buildup which can cause premature corrosion
- Also features superior aesthetic appearance
- Fitted with 12g Deks Cut washer with 20 year guarantee

Deks Cut Washer guaranteed for 20 years

### Manufacturers of Unique Products

Storm-Tite®  
Storm-Tite® Long  
Batten-Tite®  
Roof-Tite™  
Timber-Tite®  
Timber-Tite® Yellow  
and more to come!

Australian made and designed



# Timber-Tite®

## Matching Color for Logs



Having problems securing treated pine logs?  
Tired of cleaning unsightly garden debris lodged between connectors which are pulling away from retaining walls?

**Timber-Tite®  
is your answer!**



Are you faced with replacing rusted connectors?

**Timber-Tite®'s flat head design looks neat and it's functional.**

- One action! No pre-drilling holes required
- No more splitting of logs
- No more posts loosened by driving in spikes
- Superior holding power, featuring a 1" hi-tensile metal flange
- Protection of Class 4 coating for wet & corrosive areas
- Australian made & designed
- Aesthetically colored to match treated timber logs
- Patent pending



Are you tired of having your beautiful landscaped projects spoiled by splitting and dislodged timber logs?



Timber-Tite® can be used to secure those loosened timber logs



Timber-Tite® can be used to replace corroded connectors

## Fix and Forget with Timber-Tite®

# Timber-Tite® Yellow For Formwork

- For your Timber Formwork
- Reduced stripping time
- Unique yellow head for easy identification in dark areas
- Use over & over again
- Always on hand, no need to run to the hardware
- Patented head gives greater holding power for maximum grip
- Available in a range of lengths up to 4ft

Available From:

For information re: your local supplier  
Ph: + 61 427 242 076 Fax: + 61 295 333 858  
Email: [sales@actionfasteners.com.au](mailto:sales@actionfasteners.com.au)  
Web: [www.actionfasteners.com.au](http://www.actionfasteners.com.au)